



AVAIL™ QuickTwist Glovebag System

SAFE, HIGH-PERFORMANCE
ASBESTOS REMOVAL FROM PIPE



PROTECTING PEOPLE AND THEIR ENVIRONMENTS FROM EXPOSURE

ILC Dover's Grayling™ AVAIL brand glovebags enjoy the industry reputation of being the highest performing, easiest to use, and safest method to remove asbestos insulation from pipe. It is no wonder that more professionals choose AVAIL than any other brand. AVAIL glovebags have been used to remove over 50 million linear feet of pipe insulation.





The AVAIL QuickTwist glovebags incorporate all the safety and labor-saving features of the standard AVAIL glovebags, plus a debris chamber design that makes it safer and easier for workers to twist off the waste area. The QuickTwist design has two distinct work zones, the removal area and the debris chamber. This two-stage design makes it safer and easier for workers to remove and securely separate debris-laden bags from pipe. The QuickTwist incorporates a larger work area with a narrower and taller debris chamber so that less bunching is required to twist close the glovebag.

The increased work area gives the worker greater freedom inside the glovebag to access difficult pipe insulation. Each debris chamber is tall enough to handle intact sections of pipe insulation, less breakage of debris means lower fiber counts. After waste is funneled into the chamber, the worker easily twists it closed at the top and tapes the neck to prevent escape of dangerous fibers.



AVAIL QuickTwist Glovebag Specifications

MODEL	QT10	QT14	QT18	QT30
Item #	01610206	01614156	016182106	01630356
Work area	42" to 90'	48" to 75'	54" to 55'	60" to 30'
Pipe diameter	up to 10"	10" to 14"	14" to 18"	18" to 30"
Quantity/case	20	15	10	5
Glove assemblies	1 set/bag	1 set/bag	2 sets/bag	3 sets/bag
Pipe config.	horizontal	horizontal	horizontal	horizontal
Mil thickness	6 mil	6 mil	6 mil	6 mil
Replaces model	4460, 5460, 6060	6072	6684	72120



DANGER
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST
CANCER AND LUNG DISEASE
HAZARD

DANGER
CONTAINS ASBESTOS FIBERS
AVOID CREATING DUST
CANCER AND LUNG DISEASE
HAZARD





QUICKTWIST GLOVEBAGS: 5 ADVANTAGES, ONE SMART SOLUTION

1 *INCREASED SAFETY*

Grayling AVAIL glovebags deliver the highest performance because of design features that save labor while increasing safety. All AVAIL bags have FiberGuard glovesleeves that ensure an air and liquid tight seal at this critical point, and latex work gloves that are extra large and flock lined for worker comfort. The QuickTwist design offers a work chamber with 20% more room than traditional glovebags and a debris chamber that holds full lengths of insulation and twists off easily and safely.

2 *A MORE DURABLE MATERIAL*

Ultra strong polyethylene ensures excellent viewing of the work area while yielding the highest seal quality. A large drop-in tool pouch is positioned for quick and easy access to your tools.

3 *CONVENIENT AND EASY TO USE*

AVAIL bags are packaged in a dispensing box that protects unused bags from damage due to handling. The bags are on a roll and can be cut off and used in sections of 1, 2, 3 or more. 6 mil is standard construction.

4 VERSATILE SIZES

The most popular and versatile glovebag in the collection, the QT10 fits pipe diameters up to 10" and removes 42" to 54" of pipe insulation per bag. It handles 40% more insulation than a 4460 style glovebag.

When larger diameters of pipe are encountered, the QT14 is a workhorse. It safely encloses pipe diameters from 10" to 14" and handles 48" to 60" of pipe insulation per bag.

Large pipe diameters from 14" to 18" are no problem for the QT18 model. Two sets of glovesleeves let the worker easily reach and remove 54" to 66" of pipe insulation.

The super-sized QT30 AVAIL model handles pipe diameters from 18" to 30." Ideal for larger pipes, valves and fittings where more work area is required. Three sets of glovesleeves let workers remove 60" to 72" pipe insulation.





5 *ERGONOMIC BENEFIT*

Proper glovesleeve positioning lets the worker reach the insulation without having to support the weight of debris. This eliminates worker fatigue and therefore increases productivity.

Pre-cut tops and fitted collars eliminate awkward cutting and measuring on the job and allow the worker to attach the glovebag quickly and safely with no bunching of the bag where it attaches to the pipe.

Entry ports allow safe, fiber and liquid tight attachment of the HEPA vacuum and wetting agent/encapsulant wand.

QuickTwist 1-2-3 is available in Grayling's extended-run design that set the industry standard for efficiency in removing long runs of pipe insulation. Only the highest quality raw materials are converted into AVAIL glovebags on state-of-the-art manufacturing equipment. Then, the most stringent quality control system in the industry is employed to deliver the AVAIL glovebag line, consistently the most superior product available.

Grayling and AVAIL are trademarks of ILC Dover.

TALK WITH OUR EXPERTS

At ILC Dover, we look forward to collaborating with you to develop systems tailored to your exact needs. To speak with one of our experts, simply call **+1.302.335.3911** or visit **www.ilcdover.com**.



BEYOND BOUNDARIES™

Innovators at our core, we develop engineered solutions for our customers' complex problems. Recognized globally for our flexible containment solutions, ILC Dover serves customers in a diverse range of industries, including pharmaceutical and biopharmaceutical manufacturing, personal care, food and beverage, chemical, aerospace, healthcare and government agencies. At ILC Dover, quality is a culture, not a measurement. Our customers will tell you that we cater to their every need and that we're highly innovative, responsive, dedicated and competitive. We have been innovating since 1947. ILC Dover's visionary solutions improve efficiency, safeguard workers and product, and prevent disasters — proof that we are on the front line of business excellence.

Engineering evolution beyond boundaries.



One Moonwalker Road
Frederica, DE 19946 USA

+1.302.335.3911

+1.800.631.9567

customer_service@ilcdover.com

www.ilcdover.com